

PRODUCTS OF NEXTLITE-UAE



www.nextliteelectricals.com

Email: sales@nextliteelectricals.com

JOIN US ON OUR FACEBOOK PAGE:NEXTLITE PRODUCTS





PRODUCTS OF NEXTLITE-UAE

www.nextliteelectricals.com
Email: sales@nextliteelectricals.com











MODEL:	AD8 AD10 AD12
VOLTAGE / FREQUENCY:	220V-240V / 50Hz
RATED POWER:	28W 38W 46W
AIR VOLUME:	520CMH 860CMH 1200CMH
NOISE:	40db 42db 47db
MOUNTING HOLE SIZE:	245X245MM 295X295MM 345X345MM

MODEL	Α	В	С	D
AD8 (8 INCHES)	295~295mm	31mm	71mm	241mm
AD10 (10 INCHES)	350~350mm	31mm	71mm	291mm
AD12 (12 INCHES)	400~400mm	31mm	95mm	341mm









MODEL:	Z 6		Z 8
VOLTAGE / FREQUENCY:	220\	/-240V /	50Hz
RATED POWER:	15W		25W
AIR VOLUME:	200CMH		300CMH
NOISE:	37db		39db
MOUNTING HOLE SIZE:	Ø186MM		Ø 250MM

MODEL	Α	В
Z6 (6 INCHES)	183~188mm	250mm
Z8 (8 INCHES)	241~246mm	300mm









FAN FUNCTION:

- Can be used in wide range of applications, economic and durable 1.Using ABS material from the renowned international brands for better quality and
- good appearance.

 2.Using capacitor induction motor, high-quality copper wire, ball bearing which make less noise and friction to ensure high performance and longer working life for lower energy consumption and stronger wind.
- 3. Special design of wind wheel is used for low noise and better air-flow.









MODEL:	D6
VOLTAGE / FREQUENCY:	220V-240V / 50Hz
RATED POWER:	20W
AIR VOLUME:	300CMH
NOISE:	37db
MOUNTING HOLE SIZE:	Ø186MM

MODEL	Α	В
D6 (6 INCHES)	186mm	250mm











A4
220V-240V / 50Hz
12W
80CMH
37db
Ø 110MM

MODEL	Α	В	С	D
A4 (4 INCHES)	150X150mm	37mm	42mm	98mm







FAN FUNCTION:

- Can be used in wide range of applications, economic and durable 1.Using ABS material from the renowned international brands for better quality and
- good appearance.

 2.Using capacitor induction motor, high-quality copper wire, ball bearing which make less noise and friction to ensure high performance and longer working life for lower energy consumption and stronger wind.
- 3. Special design of wind wheel is used for low noise and better air-flow.









MODEL:	N4
VOLTAGE / FREQUENCY:	220V-240V / 50Hz
RATED POWER:	12W
AIR VOLUME:	80CMH
NOISE:	37db
MOUNTING HOLE SIZE:	Ø 110MM

MODEL	Α	В	С	D	A	Вс
A4 (4 INCHES)	158X158mm	21mm	51mm	98mm		





MODEL:	BC1315
VOLTAGE / FREQUENCY:	220V-240V / 50Hz
RATED POWER:	21W
AIR VOLUME:	150CMH
NOISE:	39db
MOUNTING HOLE SIZE:	228X228

	н	
E	B	F

MODEL	Α	В	С	D	Е	F	G	Н
A4 (4 INCHES)	267mm	18mm	58mm	98mm	204mm	245mm	270mm	228mm



FAN FUNCTION:

- Can be used in wide range of applications, economic and durable 1.Using ABS material from the renowned international brands for better quality and
- good appearance.

 2.Using capacitor induction motor, high-quality copper wire, ball bearing which make less noise and friction to ensure high performance and longer working life for lower energy consumption and stronger wind.

 3. Special design of wind wheel is used for low noise and better air-flow.



MODEL:	NEXCF56			
RING COLOR:	GOLD			
VOLTAGE / FREQUENCY:	220V-240V / 50Hz			
AIR VOLUME:	56inch (1400mm)			
MOTOR WEIGHT:	3.6KG			
POLE OF THE STATOR:	16 POLE			
COILING MATERIAL:	100% COPPER			
BLADE:	0.8MM			
COILING MATERIAL:	100% COPPER			
MOTOR COVER:	IRON			
CANOPY:	PP			
ROD:	32CM			
RPM:	300RPM/HIGH SPEED			
TEMPERATURE RISE:	<90K			
SAFETY WIRE:	WITH 10CM			
REGULATOR:	5 SPEED			
BEARING:	6203 BEARING			
SHAFT:	BIG SHAFT			
BLADE:	BIG BLADE			







MODEL:	NEXCF56		
RING COLOR:	SILVER		
VOLTAGE / FREQUENCY:	220V-240V / 50Hz		
AIR VOLUME:	56inch (1400mm)		
MOTOR WEIGHT:	3.6KG		
POLE OF THE STATOR:	16 POLE		
COILING MATERIAL:	100% COPPER		
BLADE:	0.8MM		
COILING MATERIAL:	100% COPPER		
MOTOR COVER:	IRON		
CANOPY:	PP		
ROD:	32CM		
RPM:	300RPM/HIGH SPEED		
TEMPERATURE RISE:	<90K		
SAFETY WIRE:	WITH 10CM		
REGULATOR:	5 SPEED		
BEARING:	6203 BEARING		
SHAFT:	BIG SHAFT		
BLADE:	BIG BLADE		







PRODUCTS OF NEXTLITE-UAE





www.nextliteelectricals.com Email: sales@nextliteelectricals.com

JOIN US ON OUR FACEBOOK PAGE: NEXTLITE PRODUCTS



